

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Higher Education – A.P. Higher Education Regulatory and Monitoring Commission (APHERMC) – Fixation of fee structure for B.Tech., B.Arch. and Marine Engineering courses in Private Un-Aided Professional Institutes in the State of Andhra Pradesh for the block period 2020-21 to 2022-23 – Notification – Issued.

HIGHER EDUCATION (E.C) DEPARTMENT

G.O.Ms.No.48

Dated:23.12.2020
Read the following:-

- 1) The Andhra Pradesh Educational Institutions (Regulation of Admissions and Prohibition of Capitation Fee) Act, 1983 (Act No.5 of 1983).
- 2) From the Member-Secretary & CEO, A.P. Higher Education Regulatory and Monitoring Commission, Tadepalli, Letter No.710/APHERMC/Admn./2020, dated 19.12.2020.

--O--

O R D E R:-

The A.P. Higher Education Regulatory and Monitoring Commission (APHERMC), in its meeting held on 15.12.2020, 17.12.2020, 18.12.2020 and 19.12.2020 has resolved to determine the fee structure for B.Tech., B.Arch. and Marine Engineering courses for the block period 2020-21 to 2022-23 in respect of Private Un-Aided Professional Institutions in the State of Andhra Pradesh.

2. The Secretary, A.P. Higher Education Regulatory and Monitoring Commission in his letter 2nd read above has furnished the Minutes of the Meeting of A.P. Higher Education Regulatory and Monitoring Commission held on 19.12.2020 along with the recommendations regarding the fee structure for B.Tech., B.Arch. and Marine Engineering for the block period 2020-21 to 2022-23 in respect of Private Un-Aided Professional Institutions in the State of Andhra Pradesh and requested to issue necessary Notification in the matter.

3. Government after careful examination of the matter, hereby issue the following Notification which shall be published in the Andhra Pradesh Extra-Ordinary Gazette:-

NOTIFICATION

4. In exercise of the powers conferred under Rule 8 of the A.P. Higher Education Regulatory and Monitoring Commission Rules, 2019 issued in G.O.Ms.No.49, Higher Education (UE) Department, dated 11.10.2019 as amended subsequently from time to time and in pursuance of the resolutions of the A.P. Higher Education Regulatory and Monitoring Commission in their Meeting held on 19.12.2020, the Commission recommended the fee structure for Private Un-Aided Professional Institutions offering B.Tech., B.Arch. and Marine Engineering in the State of Andhra Pradesh.

5. Further, in exercise of the powers conferred under Section 7 of Andhra Pradesh Educational Institutions (Regulation of Admissions and Prohibition of Capitation Fee) Act, 1983 (Act No.5 of 1983), Government hereby notify the Fee as mentioned in the Annexures appended to this Order for the block period 2020-21 to 2022-23, subject to following directions:

- a. The fee is an all-inclusive annual fee, including like tuition fee, affiliation fee, cost of identity card, medical fee, inter college/inter university sports, games & cultural meet fee, computer/internet fee, College magazine and student activities, student health care scheme, student welfare fund, study tour, alumni fund, sports and games fee, examination fee including stationery, maintenance and amenities fee, extracurricular activities fee, development fee, Recognition fee, Common Services fee and other recurring expenditure;

Contd.../2/

//2//

- b. The same fee shall continue for the students admitted during the block period of 2020-21 to 2022-23 till they complete the course;
- c. The institutions whose affiliations are not extended by the affiliating Universities for the academic year 2020-21 are not entitled to collect any fee;
- d. The institution shall not charge either directly or indirectly any other amount over and above the fee fixed in the **ANNEXURE-I(B.Tech), ANNEXURE-II (B.Arch)and ANNEXURE-III (Marine Engineering)**. If any other amount is charged under any other head or guise i.e., donations, etc. the same would amount to charging of capitation fee and in that case the institution shall be liable to be prosecuted under Section 9 of Andhra Pradesh Educational Institutions (Regulation of Admissions and Prohibition of Capitation Fee) Act, 1983 (Act No. 5 of 1983) apart from imposing appropriate penalty under the APHERMC Act, 2019 and the APHERMC Rules, 2019 as amended subsequently from time to time;
- e. In case of any deviation from these directions, the Commission will initiate serious penal action as per the provisions of the Act and Rules made there under;
- f. Under Section 12 (4) & (5) of A.P. Higher Education Regulatory and Monitoring Commission (Amendment) Act, 2020, the Commission has the power to review and determine the fee payable to the Higher Educational Institutions and review the fee determined, whether notified or not by the Government for any academic years / blocks; and
- g. The institutions are informed that the fixation of Fee structure by the Government will not by itself enable or permit the managements to run courses, if the courses are not recognized / permitted by the Government / All India Council for Technical Education / concerned University / any other statutory Authority.

6. This order issues with the concurrence of Finance (HTE) Dept., vide their U.O. No.FMU0ASD(HTE)/9/2020-FMU-HTE, dated 22.12.2020 (Computer No.1284409)

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SATISH CHANDRA
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

The Commissioner of Printing & Stationery, Vijayawada
(with a request to publish in the next Ex-ordinary
Gazette and supply 300 copies immediately)

The Secretary, A.P. Higher Education Regulatory and Monitoring Commission,
Tadepalli, Guntur District

The Secretary, A.P. State Council for Higher Education, Mangalagiri

The Commissioner of Collegiate Education, A.P., Vijayawada

The Special Commissioner of Technical Education, A.P., Vijayawada

All Vice-Chancellors of Universities in the State

All the District Collectors in the State

All the Registrars of Universities in the State

Copy to:-

The P.S. to Secretary to C.M.

The OSD to Minister (Education)

The P.S. to Spl.Chief Secy.to Govt., Higher Education Department

SF/SCs.

//FORWARDED :: BY ORDER//

SECTION OFFICER

ANNEXURE - I

Fee structure for B.Tech. Programme for the block period 2020-21 to 2022-23 - College wise

SNo	College Code	Society Code	College Name	Fee (in Rupees)
1	ASIP	HERMC0002	AMRITA SAI INST. OF SCIENCE AND TECHNOLOGY-PARITALA-KRI	35000
2	ARTB	HERMC0006	AVANTHIS RESEARCH AND TECHNOLOGICAL ACADEMY-BHOGAPURAM-VZM	39300
3	AVEN	HERMC0006	AVANTHI INSTITUTE OF ENGG. AND TECHNOLOGY-NARSIPATNAM-VSP	49400
4	AVEV	HERMC0006	AVANTHI INST. OF ENGINEERING AND TECHNOLOGY-BHOGAPURAM-VZM	41500
5	ASTC	HERMC0009	AVANTHIS ST THERESSA INSTITUTE OF ENGG AND TECHNOLOGY-CHEEPURUPALLY-VZM	41000
6	VISW	HERMC0011	SHRI VISHNU ENGG. COLLEGE FOR WOMEN-BHIMAVARAM-WG	70000
7	VITB	HERMC0011	VISHNU GRP OF INSTNS VISHNU INST OF TECHNOLOGY-BHIMAVARAM-WG	60000
8	ACEM	HERMC0012	ADITYA COLLEGE OF ENGINEERING-MADANAPALLE-CTR	35000
9	SSCC	HERMC0013	SRINIVASA INSTITUTE OF TECHNOLOGY AND MANG STUDIES-CHITTOOR-CTR	35000
10	SIEN	HERMC0018	SRI SARATHI INSTITUTE OF ENGG. AND TECHNOLOGY-NUZVID-KRI	35000
11	VCKV	HERMC0020	VISVODAYA ENGINEERING COLLEGE-KAVALI-NLR	35000
12	VITK	HERMC0020	P B R VISVODAYA INSTITUTE OF TECHNOLOGY AND SCI.-KAVALI-NLR	42500
13	SRIT	HERMC0022	SRINIVASA RAMANUJAN INST OF TECHNOLOGY-ANANTAPURAMU-ATP	50200
14	ADIT	HERMC0023	ADITYA INSTITUTE OF TECHNOLOGY AND MGMT-TEKKALI-SKL	61200
15	MTIE	HERMC0024	MOTHER THERESA INST OF ENGG AND TECH-PALAMNER-CTR	35000
16	SSCE	HERMC0032	SRI SIVANI COLLEGE OF ENGINEERING-SRIKAKULAM-SKL	35000
17	PRAG	HERMC0035	PRAGATI ENGINEERING COLLEGE-PEDDAPURAM-EG	63000
18	SRIN	HERMC0036	SRINIVASA INST OF ENGG AND TECHNOLOGY-CHEYYERU-EG	43000
19	AITK	HERMC0037	ANNAMACHARYA INST OF TECH AND SCI-KADAPA-KDP	51500
20	AITS	HERMC0037	ANNAMACHARYA INST OF TECHNOLOGY AND SCIENCES-RAJAMPETA-KDP	68700
21	AITT	HERMC0037	ANNAMACHARYA INST OF TECHNOLOGYAND SCIENCES-TIRUPATHI-CTR	39700
22	NSRT	HERMC0038	NADIMPALLI SATYANARAYANA RAJU INSTITUTE OF TECHNOLOGY-VISAKHAPATNAM-VSP	35000
23	GKCS	HERMC0039	GOKULA KRISHNA COLLEGE OF ENGINEERING-SULLURPET-NLR	35000
24	SVHE	HERMC0042	D M S S V H COLLEGE OF ENGINEERING-MACHILIPATNAM-KRI	35000
25	BEMA	HERMC0045	BHEEMA INST OF TECHNOLOGY AND SCI-ADONI-KNL	36500
26	STEN	HERMC0046	SAI TIRUMALA N V R ENGINEERING COLLEGE-NARSARAOPET-GTR	35000

27	VVGV	HERMC0048	VKR VNB AND AGK ENGINEERING COLLEGE-GUDIVADA-KRI	35000
28	KMMT	HERMC0049	KMM INST OF TECHNOLOGY AND SCIENCE-TIRUPATHI-CTR	35000
29	SVIK	HERMC0051	SRI VENKATESWARA INSTT. OF SCIENCE AND TECHNOLOGY-KADAPA-KDP	35000
30	AKRG	HERMC0053	AKRG COLLEGE OF ENGG AND TECHNOLOGY-NALLAJERLA-WG	35000
31	VSVT	HERMC0054	SRI VASAVI ENGINEERING COLLEGE-TADEPALLIGUDEM-WG	63000
32	DHAN	HERMC0056	DHANEKULA INST OF ENGG TECHNOLOGY-VIJAYAWADA-KRI	60800
33	SRIP	HERMC0057	SAI RAJESWARI INSTITUTE OF TECHNOLOGY-PRODDATUR-KDP	35000
34	CECC	HERMC0058	CHIRALA ENGINEERING COLLEGE-CHIRALA-PKS	45000
35	SVEB	HERMC0060	SWAMY VIVEKANANDA ENGINEERING COLLEGE-BOBBILI-VZM	35000
36	NMRE	HERMC0062	NIMRA COLLEGE OF ENGG AND TECHNOLOGY-JUPUDI-KRI	35000
37	NRIT	HERMC0066	NRI INSTT OF TECHNOLOGY-GUNTUR-GTR	35000
38	GPRE	HERMC0067	G P R ENGINEERING. COLLEGE-KURNOOL-KNL	70000
39	GATE	HERMC0068	GATES INSTITUTE OF TECHNOLOGY-GOOTY-ATP	41000
40	JONY	HERMC0070	ST. JOHNS COLLEGE OF ENGG. AND TECHNOLOGY-YEMMIGANOR-KNL	35000
41	SGIT	HERMC0072	DR SAMUEL GEORGE INSTITUTE OF ENGG. AND TECHNOLOGY-MARKAPUR-PKS	54000
42	TECH	HERMC0074	TADIPATRI ENGG COLLEGE-TADIPATRI-ATP	35000
43	SRSR	HERMC0076	SRI SAI INSTITUTE OF TECHNOLOGY. AND SCI.-RAYCHOTI-KDP	37700
44	RIET	HERMC0077	RAJAMAHENDRI INST OF ENGG AND TECHNOLOGY-RAJAHMUNDRY-EG	35000
45	BRNK	HERMC0078	BRINDAVAN INST OF TECHNOLOGY AND SCI-KURNOOL-KNL	35000
46	GLIM	HERMC0080	A1 GLOBAL INST OF ENGG TECHNOLOGY-MARKAPUR-PKS	35000
47	SRTS	HERMC0083	SRINIVASA INST OF TECHNOLOGY SCIENCE-KADAPA-KDP	35000
48	DIET	HERMC0084	DADI INSTT. OF ENGINEERING AND TECHNOLOGY-ANAKAPALLE-VSP	35000
49	BULL	HERMC0086	DR L BULLAYYA COLL OF ENGG FOR WOMEN-VISAKHAPATNAM-VSP	35000
50	UNIV	HERMC0090	UNIVERSAL COLLEGE OF ENGG AND TECHNOLOGY-GUNTUR-GTR	35000
51	ASIT	HERMC0091	AUDI SANKARA INST OF TECHNOLOGY-GUDUR-NLR	40000
52	SANK	HERMC0091	AUDHISANKARA COLLEGE OF ENGG. AND TECHNOLOGY-GUDUR-NLR	48600
53	GTNN	HERMC0092	GEETHANJALI INST OF SCIENCE AND TECHNOLOGY-NELLORE-NLR	38000
54	RKCE	HERMC0094	R.K.COLLEGE OF ENGINEERING-IBRAHIMPATNAM-KRI	35000
55	GLBC	HERMC0096	GLOBAL COLL OF ENGG AND TECHNOLOGY-CHENUR-KDP	35000
56	QISE	HERMC0097	QIS COLLEGE OF ENGG. AND TECHNOLOGY-ONGOLE-PKS	36700

57	QITO	HERMC0097	QIS INSTITUTE OF TECHNOLOGY-ONGOLE-PKS	35000
58	VNRC	HERMC0098	VELAGA NAGESWARA RAO COLL OF ENGINEERING-PONNUR-GTR	35000
59	LBCE	HERMC0100	LAKIREDDY BALIREDDY COLLEGE OF ENGINEERING-MYLAVARAM-KRI	69700
60	SATS	HERMC0101	SRI ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCE-RAJAMPETA-KDP	38000
61	WSTM	HERMC0102	WELFARE INST OF SCIENCE TECH AND MGMT-PINAGADI-VSP	35000
62	IDEL	HERMC0103	IDEAL INSTITUTE OF TECHNOLOGY-KAKINADA-EG	35000
63	SSSE	HERMC0105	SANSKRITHI SCHOOL OF ENGINEERING-PUTAPARTHI-ATP	35000
64	CRRE	HERMC0107	SIR C R R COLLEGE OF ENGINEERING-ELURU-WG	51200
65	ASKC	HERMC0109	A S K COLLEGE OF TECHNOLOGY MANAGEMENT-ANAKAPALLE-VSP	35000
66	CHND	HERMC0110	CHUNDI RANGANAYAKULU ENGINEERING COLLEGE-CHILAKALURIPET-GTR	35000
67	NARN	HERMC0111	NARAYANA ENGINEERING COLLEGE-NELLORE-NLR	40800
68	NRNG	HERMC0111	NARAYANA ENGINEERING COLLEGE-GUDUR-NLR	45000
69	SMGG	HERMC0112	ST.MARYS GOUP OF INSTITUTIONS-GUNTUR-GTR	35000
70	STMW	HERMC0112	ST.MARYS WOMENS ENGINEERING COLLEGE-GUNTUR-GTR	35000
71	GDLV	HERMC0117	GUDLAVALLERU ENGINEERING COLLEGE-GUDLAVALLERU-KRI	65000
72	PREC	HERMC0118	DR PAUL RAJS ENGINEERING COLLEGE-YETAPAKA-EG	35000
73	VITS	HERMC0122	VAAGDEVI INSTITUTE OF TECHNOLOGY. AND SCI.-PRODDATUR-KDP	35000
74	SKRT	HERMC0124	SKR COLLEGE OF ENGINEERING TECHNOLOGY-NELLORE-NLR	35000
75	URCE	HERMC0127	USHA RAMA COLL OF ENGG AND TECHNOLOGY-TELAPROLU-KRI	35000
76	NRIA	HERMC0130	NRI INSTITUTE OF TECHNOLOGY-AGIRIPALLY-KRI	42500
77	PYDE	HERMC0132	PYDAH COLL OF ENGINEERING-KAKINADA-EG	35000
78	PYDT	HERMC0132	Pydah College of Dairy and Food Technology-Patavala-EG	35000
79	GVPE	HERMC0133	GAYATHRI VIDYA PARISHAD COLL. OF ENGINEERING-VISAKHAPATNAM-VSP	69000
80	GVPT	HERMC0133	G V P COLLEGE FOR DEGREE AND PG COURSES-VISAKHAPATNAM-VSP	63000
81	GVPW	HERMC0133	GAYATHRI VIDYA PARISHAD COLL OF ENGG FOR WOMEN-VISAKHAPATNAM-VSP	60200
82	PSCV	HERMC0134	POTTI SRIRAMULU COLLEGE OF ENGG AND TECHNOLOGY-VIJAYAWADA-KRI	41500
83	KUPM	HERMC0135	KUPPAM ENGINEERING COLLEGE-KUPPAM-CTR	45400
84	PNCV	HERMC0144	P NAGAI AH CHOUDARY AND VIJAY INST OF ENGG AND TECH-GUNTUR-GTR	35000
85	KIEK	HERMC0146	KAKINADA INSTITUTE OF ENGG. AND TECHNOLOGY-KAKINADA-EG	35000
86	KIET	HERMC0146	KAKINADA INSTITUTE OF ENGG. AND TECHNOLOGY-KAKINADA-EG	35000

87	KIEW	HERMC0146	KAKINADA INST OF ENGG AND TECHNOLOGY FOR WOMEN-KAKINADA-EG	35000
88	SRET	HERMC0147	SREE RAMA ENGINEERING COLLEGE-TIRUPATHI-CTR	44700
89	MITSI	HERMC0149	MADANAPALLY INSTITUTE OF TECHNOLOGY AND SCI 1st SHIFT-MADANAPALLE-CTR	69800
90	SVNE	HERMC0152	SRI VIDYA NIKETAN ENGINEERING COLLEGE-RANGAMPETA-CTR	70000
91	CIET	HERMC0153	CHALAPATHI INST OF ENGG AND TECHNOLOGY-GUNTUR-GTR	35000
92	CITY	HERMC0153	CHALAPATHI INST OF TECHNOLOGY-GUNTUR-GTR	35000
93	CHBR	HERMC0155	CHEBROLU ENGINEERING COLLEGE-GUNTUR-GTR	35000
94	KLMW	HERMC0159	K.LAKSHUMMA MEMORIAL COLLEGE OF ENGG FOR WOMEN-KADAPA-KDP	35000
95	PPDV	HERMC0160	PALADUGU PARVATHI DEVI COLLEGE OF ENGG AND TECH-VIJAYAWADA-KRI	35000
96	GANA	HERMC0165	SAI GANAPATHI ENGINEERING COLLEGE-VISAKHAPATNAM-VSP	35000
97	VSMR	HERMC0166	V.S.M COLLEGE OF ENGINEERING-RAMACHANDRAPURAM-EG	51000
98	BABA	HERMC0167	BABA INST OF TECH AND SCIENCES-VISAKHAPATNAM-VSP	35000
99	SVTM	HERMC0168	SIR VISHVESHWARAIHAH INST OF SCIENCE AND TECHNOLOGY-MADANAPALLE-CTR	35000
100	PVKK	HERMC0169	P.V.K.K. INSTITUTE OF TECHNOLOGY-ANANTAPURAMU-ATP	35000
101	PACE	HERMC0173	PACE INSTITUTE OF TECHNOLOGY AND SCIENCES-ONGOLE-PKS	40400
102	AIME	HERMC0176	AMALAPURAM INST OF MGMT SCI COLL OF ENGG-MUMMIDIVARAM-EG	37200
103	KHIT	HERMC0177	KALLAM HARANADH REDDY INST OF TECH-GUNTUR-GTR	43000
104	LENO	HERMC0179	LENORA COLLEGE OF ENGINEERING-RAMPACHODAVARAM-EG	35000
105	RGIT	HERMC0181	RAJIV GANDHI MEMORIAL COLLEGE OF ENGG. AND TECH.-NANDYAL-KNL	69100
106	AMRN	HERMC0184	A.M.REDDY MEMORIAL COLL. OF ENGINEERING-NARSARAOPET-GTR	35000
107	KTSP	HERMC0185	KAKINADA INSTITUTE OF TECHNOLOGY AND SCIENCE-DIVILI-EG	35000
108	GDMM	HERMC0189	G.D.M.M. COLL OF ENGG AND TECHNOLOGY-NANDIGAMA-KRI	45000
109	SREC	HERMC0190	SANTHIRAM ENGINEERING COLLEGE-NANDYAL-KNL	35000
110	CHKN	HERMC0194	CHAITANYA INST. OF SCI. AND TECHNOLOGY-KAKINADA-EG	35000
111	BVCE	HERMC0195	B V CHALAMAIAH ENGINEERING COLLEGE-ODALAREVU-EG	42000
112	BVCR	HERMC0195	BVC ENGINEERING COLLEGE-RAJAHMUNDRY-EG	35000
113	BVTS	HERMC0195	BONAM VENKATA CHALAMAIAH INST. OF TECH AND SCI.-AMALAPURAM-EG	52700
114	SVCT	HERMC0196	SRI VENKATESWARA COLLEGE OF ENGG. AND TECHNOLOGY-CHITTOOR-CTR	48000
115	KVSR	HERMC0197	DR.K.V.SUBBA REDDY INST. OF TECHNOLOGY-KURNOOL-KNL	35000
116	KVSW	HERMC0198	DR.K.V.SUBBA REDDYCOLL OF ENGG FOR WOMEN-KURNOOL-KNL	41800

117	VANI	HERMC0199	SRI VANI EDN SOC GRP SCHOOL OF INSTITUTIONS-CHEVUTURU-KRI	35000
118	SIET	HERMC0200	SWARNANDHRA INST. OF ENGG AND TECHNOLOGY-NARSAPURAM-WG	35000
119	SWRN	HERMC0200	SWARNANDHRA COLL. OF ENGG AND TECHNOLOGY-NARSAPURAM-WG	35000
120	VEMU	HERMC0201	VEMU INSTITUTE OF TECHNOLOGY-CHITTOOR-CTR	35000
121	SHRE	HERMC0209	SHREE INST OF TECHNOLOGICAL EDUCATION-RENIGUNTA-CTR	35000
122	PITT	HERMC0210	PRIYADARSHINI INST. OF TECHNOLOGY AND SCIENCES-TENALI-GTR	35000
123	PITW	HERMC0210	PRIYADARSHINI INST. OF TECH AND SCIENCES FOR WOMEN-TENALI-GTR	35000
124	SVCN	HERMC0216	SREE VENKATESWARA COLL OF ENGG-NELLORE-NLR	35000
125	PPSV	HERMC0219	PRASAD V POTLURI SIDDHARTHA INSTT OF TECHNOLOGY-VIJAYAWADA-KRI	70000
126	VRSE	HERMC0219	V R SIDDHARTHA ENGINEERING COLLEGE-VIJAYAWADA-KRI	66200
127	AECN	HERMC0225	ANDHRA ENGINEERING COLLEGE-ATMAKUR N-NLR	35000
128	CHDL	HERMC0226	CHADALAWADA RAMANAMMA ENGG. COLLEGE-TIRUPATHI-CTR	52500
129	VCTN	HERMC0227	VIKAS COLLEGE OF ENGINEERING AND TECHNOLOGY-VIJAYAWADA-KRI	35000
130	MVRG	HERMC0229	M V G R COLLEGE OF ENGINEERNG-VIZIANAGARAM-VZM	67700
131	SEAT	HERMC0230	SIDDARTHA EDNL ACADEMY GRP OF INSTNS-TIRUPATHI-CTR	37000
132	LIET	HERMC0237	LENDI INST OF ENGG AND TECHNOLOGY-VIZIANAGARAM-VZM	35000
133	CEVP	HERMC0239	CHAITANYA ENGINEERING COLLEGE-VISAKHAPATNAM-VSP	35000
134	MJRT	HERMC0240	MJR COLLEGE OF ENGG AND TECHNOLOGY-PILER-CTR	35000
135	BECB	HERMC0243	BAPATLA ENGINEERING COLLEGE-BAPATLA-GTR	61000
136	BWEC	HERMC0243	BAPATLA WOMENS ENGG COLLEGE-BAPATLA-GTR	35000
137	SVET	HERMC0245	SRI VASAVI INSTT OF ENGINEERING AND TECHNOLOGY-PEDANA-KRI	35000
138	VGTN	HERMC0247	VIKAS GROUP OF INSTITUTIONS-VIJAYAWADA RURAL-KRI	35000
139	ASVR	HERMC0251	SVR ENGINEERING COLLEGE-NANDYAL-KNL	38600
140	SVCE	HERMC0252	SRI VENKATESWARA COLL OF ENGINEERING-TIRUPATHI-CTR	52800
141	SVCK	HERMC0252	SRI VENKATESWARA COLLEGE OF ENGINEERING-KADAPA-KDP	35000
142	SVEW	HERMC0252	SRI VENKATESWARA ENGG COLLEGE FOR WOMEN-TIRUPATHI-CTR	41700
143	ANIL	HERMC0254	ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY AND SCI-BHEEMUNIPATNAM-VSP	54500
144	KCIT	HERMC0259	KRISHNA CHAITANYA INST OF TECHNOLOGY AND SCIENCES-MARKAPUR-PKS	35000
145	VSPT	HERMC0260	VISAKHA INST OF ENGG AND TECHNOLOGY-VISAKHAPATNAM-VSP	35000
146	VTEC	HERMC0260	VISAKHA TECHNICAL CAMPUS-VISAKHAPATNAM-VSP	35000

147	ALTS	HERMC0263	ANANTHA LAKSHMI INST OF TECHNOLOGY AND SCI-ANANTAPURAMU-ATP	35000
148	NITN	HERMC0264	NARSARAOPET INSTITUTE OF TECHNOLOGY-NARSARAOPET-GTR	35000
149	NSPE	HERMC0264	NARSARAOPETA ENGINEERING COLLEGE-NARSARAOPET-GTR	60400
150	PKSK	HERMC0272	PRAKASAM ENGINEERING COLLEGE-KANDKUR-PKS	38000
151	IITM	HERMC0274	INDIRA INST OF TECHNOLOGY SCI-MARKAPUR-PKS	35000
152	KORK	HERMC0275	KANDULA OBUL REDDY MEMORIAL COLL. OF ENGG.-KADAPA-KDP	35000
153	RVJC	HERMC0278	R V R AND J C COLLEGE OF ENGINEERING-GUNTUR-GTR	69400
154	VVIT	HERMC0284	VASIREDDY VENKATADRI INST. OF TECHNOLOGY-GUNTUR-GTR	55000
155	RAGU	HERMC0285	RAGHU ENGINEERING COLLEGE-BHEEMUNIPATNAM-VSP	69700
156	RITV	HERMC0285	RAGHU INST. OF TECHNOLOGY-BHEEMUNIPATNAM-VSP	61000
157	ANSN	HERMC0295	ST. ANNS COLLEGE OF ENGG. AND TECHNOLOGY-CHIRALA-PKS	47700
158	ELRU	HERMC0296	ELURU COLLEGE OF ENGG AND TECHNOLOGY-ELURU-WG	35000
159	SRKR	HERMC0298	S R K R ENGINEERING COLLEGE-BHIMAVARAM-WG	70000
160	GVIC	HERMC0303	GOLDEN VALLEY INTEGRATED CAMPUS-MADANAPALLE-CTR	35000
161	RSRN	HERMC0304	RAMIREDDY SUBBA RAMIREDDY ENGG COLLEGE-NELLORE-NLR	41000
162	DSIT	HERMC0306	D.B.S.INST OF TECHNOLOGY-KAVALI-NLR	35000
163	TMLN	HERMC0308	TIRUMALA ENGINEERING COLLEGE-NARSARAOPET-GTR	50800
164	SRKI	HERMC0312	S R K INST. OF TECHNOLOGY-VIJAYAWADA-KRI	35000
165	VITW	HERMC0312	VIJAYA INST. OF TECHNOLOGY FOR WOMEN-VIJAYAWADA-KRI	35000
166	RCEE	HERMC0313	RAMACHANDRA COLLEGE OF ENGINEERING-ELURU-WG	45900
167	SASI	HERMC0314	SASI INSTITUTE OF TECHNOLOGY AND ENGINEERING-TADEPALLIGUDEM-WG	45700
168	ALIT	HERMC0315	ANDHRA LOYOLA INSTT OF ENGG AND TECHNOLOGY-VIJAYAWADA-KRI	50200
169	VETS	HERMC0329	SR VENKATESWARA COLL OF ENGINEERING-SRIKAKULAM-SKL	35000
170	QUBA	HERMC0332	QUBA COLL OF ENGG AND TECHNOLOGY-NELLORE-NLR	35000
171	MPLG	HERMC0337	SRI MITTAPALLI COLLEGE OF ENGINEERING-GUNTUR-GTR	35000
172	MPLW	HERMC0337	SRI MITTAPALLI INST OF TECHNOLOGY FOR WOMEN-GUNTUR-GTR	41600
173	ADTP	HERMC0343	ADITYA ENGINEERING COLLEGE-PEDDAPURAM-EG	51100
174	PCEK	HERMC0348	G.PULLAIAH COLL. OF ENGG. AND TECHNOLOGY-KURNOOL-KNL	48000
175	RAVW	HERMC0348	RAVINDRA COLLEGE OF ENGG FOR WOMEN-KURNOOL-KNL	35000
176	ACES	HERMC0349	ADITYA COLLEGE OF ENGINEERING-PEDDAPURAM-EG	38000

177	ACET	HERMC0349	ADITYA COLLEGE OF ENGINEERING AND TECHNOLOGY-PEDDAPURAM-EG	37000
178	SVIT	HERMC0351	SRI VENKATESWARA INST OF TECHNOLOGY-ANANTAPURAMU-ATP	35000
179	DNRE	HERMC0354	DNR COLLEGE OF ENGG AND TECH-BHIMAVARAM-WG	35000
180	NEWS	HERMC0377	NEWTONS INST OF SCI AND TECH-MACHERLA-GTR	35000
181	NEWT	HERMC0377	NEWTON INSTITUTE OF ENGINEERING-MACHERLA-GTR	35000
182	GMRI	HERMC0401	G M R INSTITUTE OF TECHNOLOGY-RAJAM-SKL	66000
183	CRIT	HERMC0408	CHIRANJIVI REDDY INST OF ENGG AND TECHNOLOGY-ANANTAPURAMU-ATP	35000
184	KSRM	HERMC0432	K S R M COLLEGE OF ENGINEERING-KADAPA-KDP	56700
185	WISE	HERMC0441	WEST GODAVARI INSTT OF SCIENCE AND ENGINEERING-NALLAJERLA-WG	35000
186	BTHP	HERMC0443	BIT INSTITUTE OF TECHNOLOGY-HINDUPUR-ATP	35000
187	ISTS	HERMC0454	INTERNATIONAL SCHOOL OF TECH AND SCI FOR WOMEN-RAJAHMUNDRY-EG	39000
188	BVRM	HERMC0456	BHIMAVARAM INST. OF ENGG. AND TECHNOLOGY-BHIMAVARAM-WG	35000
189	GECG	HERMC0460	GUNTUR ENGINEERING COLLEGE-GUNTUR-GTR	35000
190	NLND	HERMC0461	NALANDA INSTITUTE OF ENGG. AND TECHNOLOGY-SATTENAPALLY-GTR	36500
191	ASNW	HERMC0462	A S N WOMENS ENGINEERING COLLEGE-TENALI-GTR	35000
192	DJRC	HERMC0467	SRI CHAITANYA DJR COLL OF ENGG AND TECH-VIJAYAWADA-KRI	35000
193	SAVE	HERMC0468	SANKETHIKA VIDYA PARISHAD ENGINEERING COLLEGE-VISAKHAPATNAM-VSP	35000
194	NVRT	HERMC0472	N.V.R.COLLEGE OF ENGG TECHNOLOGY-TENALI-GTR	35000
195	VIEW	HERMC0475	VIGNANS INSTT OF ENGINEERING FOR WOMEN-VISAKHAPATNAM-VSP	41600
196	VIVP	HERMC0475	VIGNANS INSTITUTE OF INFORMATION TECHNOLOGY-VISAKHAPATNAM-VSP	52000
197	VLIT	HERMC0475	VIGNANS LARA INST. OF TECHNOLOGY AND SCI-VADLAMUDI-GTR	38000
198	VNIW	HERMC0475	VIGNANS NIRULA INST OF TECH. AND SCI FOR WOMEN-GUNTUR-GTR	35000
199	KISR	HERMC0477	KAKINADA INSTITUTE OF TECHNOLOGY SCIENCES-RAMACHANDRAPURAM-EG	38000
200	MRCL	HERMC0481	MIRACLE EDNL SOC GROUP OF INSTNS-BHOGAPURAM-VZM	35000
201	GTMW	HERMC0496	GOUTHAMI INST OF TECHNOLOGY MGMT FOR WOMEN-PRODDATUR-KDP	35000
202	GITS	HERMC0516	GONNA INST OF INFO TECHNOLOGY SCIENCES-VISAKHAPATNAM-VSP	39300
203	MLEC	HERMC0519	MALINENI LAKSHMAIAH ENGINEERING COLLEGE-SINGARAYAKONDA-PKS	35500
204	MLEW	HERMC0519	MALINENI LAKSHMAIAH WOMENS ENGG. COLLEGE-GUNTUR-GTR	35000
205	MPES	HERMC0519	MALINENI PERUMALLU EDNL SOC GROUP OF INSTNS-GUNTUR-GTR	35000
206	VIZB	HERMC0534	VIZAG INSTT OF TECHNOLOGY-BHEEMUNIPATNAM-VSP	35000

207	LOYL	HERMC0541	LOYOLA INSTITUTE OF TECHNOLOGY AND MGMT-SATTENAPALLY-GTR	35000
208	PIIT	HERMC0545	PRIYADARSHINI INST OF TECH AND MGMT-GUNTUR-GTR	35000
209	VHNI	HERMC0554	SREE VAHINI INSTT OF SCIENCE AND TECHNOLOGY-TIRUVURU-KRI	35000
210	BVSR	HERMC0568	BVSR ENGINEERING COLLEGE-CHIMAKURTHY-PKS	35000
211	KECW	HERMC0578	KRISHNAVENI ENGG COLLEGE FOR WOMEN-NARSARAOPET-GTR	35000
212	PRIK	HERMC0580	PRIYADARSHINI COLL OF ENGG. AND TECHNOLOGY-NELLORE-NLR	35000
213	SGVP	HERMC0586	SATYA INST OF TECHNOLOGY AND MGMT-VIZIANAGARAM-VZM	45600
214	SKHE	HERMC0588	SRI KALAHASTISWARA INSTITUTE OF TECHNOLOGY-SRI KALAHASTHI-CTR	35000
215	SVPP	HERMC0595	SRI VENKATESA PERUMAL COLLEGE OF ENGG. AND TECH-PUTTUR-CTR	37000
216	GIST	HERMC0601	GANDHIJI INST OF SCI AND TECHNOLOGY-JAGGAIHPETA-KRI	35000
217	ABRK	HERMC0606	ABR COLLEGE OF ENGG AND TECHNOLOGY-KANIGIRI-PKS	35000
218	ACEE	HERMC0613	ADARSH COLLEGE OF ENGINEERING-GOLLAPROLU-EG	35000
219	RGAN	HERMC0615	RISE KRISHNA SAI GANDHI GROUP OF INSTITUTIONS-ONGOLE-PKS	42000
220	RPRA	HERMC0615	RISE KRISHNA SAI PRAKASAM GROUP OF INSTITUTIONS-ONGOLE-PKS	36100
221	NBKR	HERMC0617	NBKR INSTITUTE OF SCI. AND TECHNOLOGY-VIDYANAGAR-NLR	70000
222	CVRT	HERMC0622	SIR C.V RAMAN INST OF TECHNOLOGY SCIENCES-TADIPATRI-ATP	35000
223	JGNN	HERMC0635	JAGANS COLLEGE OF ENGG AND TECHNOLOGY-NELLORE-NLR	35000
224	ESWR	HERMC0643	ESWAR COLLEGE OF ENGINEERING-NARSARAOPET-GTR	35000
225	GVRS	HERMC0673	G V R AND S COLLEGE OF ENGG. AND TECHNOLOGY-GUNTUR-GTR	35000
226	MVRS	HERMC0684	M.V.R.COLL OF ENGINEERING AND TECHNOLOGY-PARITALA-KRI	35000
227	CITM	HERMC0688	COASTAL INST OF TECHNOLOGY AND MANAGEMENT-VIZIANAGARAM-VZM	35000
228	GIER	HERMC0704	GODAVARI INSTITUTE OF ENGG. AND TECHNOLOGY-RAJAHMUNDRY-EG	58700
229	GIET	HERMC0704	GIET COLLEGE OF ENGINEERING-RAJAHMUNDRY-EG	35000
230	GITE	HERMC0705	GIET ENGINEERING COLLEGE-RAJAHMUNDRY-EG	35000
231	HITE	HERMC0706	HELAPURI INST OF TECH AND SCIENCE-ELURU-WG	35000
232	NOVA	HERMC0712	NOVA COLLEGE OF ENGG. AND TECHNOLOGY-JANGAREDDYGUDEM-WG	35000
233	NVAV	HERMC0712	NOVA COLLEGE OF ENGINEERING AND TECHNOLOGY-IBRAHIMPATNAM-KRI	35000
234	MIET	HERMC0723	MANDAVA INSTITUTE OF ENGG AND TECHNOLOGY-JAGGAIHPETA-KRI	35000
235	CBIT	HERMC0736	CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY-PALLAVOLU-KDP	35000
236	KITS	HERMC0785	KKR AND KSR INST OF TECHNOLOGY AND SCI-GUNTUR-GTR	37700

237	LIMIT	HERMC0786	LINGAYAS INST OF MGMT AND TECHNOLOGY-VIJAYAWADA-KRI	35000
238	MICT	HERMC0787	D VENKATARAMANA AND DR.HIMASEKHAR MIC COLL OF TECH-KANCHIKACHERLA-KRI	36100
239	SDTN	HERMC0788	SIDDHARTH INSTITUTE OF ENGG. AND TECHNOLOGY-PUTTUR-CTR	37000
240	SIST	HERMC0788	SIDDHARTHA INST OF SCI AND TECHNOLOGY-PUTTUR-CTR	50600

SATISH CHANDRA
SPECIAL CHIEF SECRETARY TO GOVERNMENT

ANNEXURE - II**Fee Structure for B.Arch. Programme for the block period 2020-21 to 2022-23 - College wise**

Sno	College Code	Society Code	College Name	College Place	Dist	Fee (in Rupees)
1	AP22	HERMC0186	VAISHNAVI SCHOOL OF ARCHITECTURE AND PLANNING	VIJAYAWADA	KRI	70000
2	AP14	HERMC0260	VARAHA COLLEGE OF ARCHITECTURE AND PLANNING	VISAKHAPATNAM	VSP	70000
3	AP20	HERMC0470	MAESTRO SCHOOL OF PLANNING AND ARCHITECTURE	VIJAYAWADA	KRI	40000
4	AP19	HERMC0523	M R K COLLEGE OF ARCHITECTURE	VEERAVASARAM	WG	53300

SATISH CHANDRA
SPECIAL CHIEF SECRETARY TO GOVERNMENT

ANNEXURE – III**Fee Structure for B.Tech. Marine Engineering Programme for the block period 2020-21 to 2022-23**

SNo	College Code	Society Code	College Name	College Place	Dist	Fee (in Rupees)
1	PIME	HERMC0623	PRAVEENYA INST OF MARINE ENGINEERING	VIZIANAGARAM	VZM	125000

SATISH CHANDRA
SPECIAL CHIEF SECRETARY TO GOVERNMENT



6.4.3. Institutional strategies for mobilization of funds and the optimal utilization of resources

Consultancy projects

Cell : 97040 69563
98481 49370

SANDHYA SOIL ENGINEERING WORKS
(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.
email : soiltestsuresh@gmail.com

R/H

Ref: VEERAVALLI
(KRISHNADIST)

Date: 20/06/2021

To

R/H
1500

Dear Sir,

We done Soil Investigation works at VEERAVALLI. We collected soil sample from

7m & 1 bore holes. Please test collected samples and
Recommended R/Tha Bharosha Kendram

Construction.

Client
Executive Engineer
PRI Division
Vijayawada
Location
veeravalli (N)
Bapulapadu (M)
Krishna (Dist)

Your's Truly
K. Suresh
K. SURESH



INTRA SREI

Cell : 97040 69563. 98481 49370

ANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

Door No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist.

e-mail : soiltestsuresh@gmail.com

Ref :

Date :

Project At : VEERAVALLI

Date of Boring 20/06/2021

Bore Hole No : (1)

End of Boring 20/06/2021

Water level NILL

0.00 mtr to 0.55 mtr - DS-1
(0.00 mtr to 0.70 mtr of soil)

0-15cm	15 to 30cm	30-45cm
corned		

1.00 mtr to 1.55 mtr - DS-2

clay

0-15cm	15 to 30cm	30-45cm
3	5	8

1.55 mtr to 2.00 mtr - SPT-2

2.00 mtr to 2.55 mtr - DS-3

//

0-15cm	15 to 30cm	30-45cm
4	6	8

2.55 mtr to 3.00 mtr - SPT-3

3.00 mtr to 3.55 mtr - DS-4

clay + pebbles

0-15cm	15 to 30cm	30-45cm
4	6	9

3.55 mtr to 4.00 mtr - SPT-4

4.00 mtr to 4.55 mtr - DS-5

clay + pebbles + gravel

0-15cm	15 to 30cm	30-45cm
7	10	17

4.55 mtr to 5.00 mtr - SPT-5

5.00 mtr to 5.55 mtr - DS-6

//

0-15cm	15 to 30cm	30-45cm
12	20	23

5.55 mtr to 6.00 mtr - SPT-6

6.00 mtr to 6.55 mtr - DS-7

//

0-15cm	15 to 30cm	30-45cm
20	30	35

6.55 mtr to 7.00 mtr - SPT-7

7.00 mtr to 7.55 mtr - DS-8

0-15cm	15 to 30cm	30-45cm

7.55 mtr to 8.00 mtr - SPT-8

8.00 mtr to 8.55 mtr - DS-9

0-15cm	15 to 30cm	30-45cm

8.55 mtr to 9.00 mtr - SPT-9

9.00 mtr to 9.55 mtr - DS-10

0-15cm	15 to 30cm	30-45cm

9.55 mtr to 10.00 mtr - SPT-10



6.4.3. Institutional strategies for mobilization of funds and the optimal utilization of resources

Consultancy projects

A

Cell : 97040 63563
98481 49370

SANDHYA SOIL ENGINEERING WORKS
(The Complete Sub Soil Investigation)
D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.
email : soiltestsuresh@gmail.com

Date : 5/07/21

To
The principal
Andhra Loyola Eng College
visayawada

Dear Sir,

We done Soil Investigation works at chikkavaram. We collected soil sample from
1 (8mt) bore holes. Please test collected samples and
Recommended grama Sachivalayam & R/ The Barosha
Construction. Kendram
client
Executive Engineer
PFI Division
visayawada
Location
Beside M.P.P. School
chikkavaram (V)
Gannavaram (M)
Krishna

Your's Truly
K. Suresh
(K. SURESH)
Soils Testing
Rs 15000/-
Received Rs. 15000/-
5/7/21



Cell : 97040 69563
98481 49370

ANDHRA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)
D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.
e-mail : soiltestsuresh@gmail.com

Project Location : Chikuvaram
Boring Method : 150mm dia borehole
with shell & reyer
Bore hole no : 1

Date of Bore : 5/7/21
End of Bore : 5/7/21
water level : 3.00 m

0.00 m	to	0.55 m	- DS-1	2 3 6	day
0.55 m	to	1.00 m	- SPT-1 →		
1.00 m	to	1.55 m	- DS-2	2 3 6	day
1.55 m	to	2.00 m	- SPT-2 →		
2.00 m	to	2.55 m	- DS-3	4 4 6	day
2.55 m	to	3.00 m	- SPT-3 →		
3.00 m	to	3.55 m	- DS-4	2 2 2	day
3.55 m	to	4.00 m	- SPT-4 →		
4.00 m	to	4.55 m	- DS-5	3 7 8	sample clay
4.55 m	to	5.00 m	- SPT-5 →		
5.00 m	to	5.55 m	- DS-6	7 12 16	sample clay
5.55 m	to	6.00 m	- SPT-6 →		
6.00 m	to	6.55 m	- DS-7	18 15 21	clay sand
6.55 m	to	7.00 m	- SPT-7 →		
7.00 m	to	7.55 m	- DS-8	12 18 25	clay sand
7.55 m	to	8.00 m	- SPT-8 →		

SC



Cell : 97040 69563
98481 49370

INFRA SERVICES
SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: KANURU
(KRISHNADIST)

Date: 11/08/2021

S/c Aug 21

To

Dear Sir,

We done Soil Investigation works at KANURU. We collected soil sample from

10 bore holes. Please test collected samples and
Recommended OK

Construction.

Client:- Tirumala Venkata narideep
s/o Tirumala nagakoteswararao
Tirumala sritha sai
s/o Tirumala nagakoteswararao

Your's Truly

K. Suresh
K. SURESH

Received amount
of Rs. 23,000/-

*soils testing
Rs 23,000*

*Sumit
23/8/21*

Address:-

D.No:- 6-80,
Bhagya Nagar colony,
A moti nageswararao Road,
near ~~st. teresa~~ Theresas school, near ST. TERESA'S SCH
Kanuru village
Penamaluru mandal
Krimha district.



SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

KANJURU
BH-1

WATER TABLE
0.50 m
C.P.S.
WATER

0.00 MTR. STP 1.10 MTR. S.O.S-1	<u>Cancelled</u>				
(0.00 MTR. STP 1.10 mms) (Water Table)					
1.10 MTR. STP 1.55 MTR. S.D.S-2		D.B.C			
1.55 MTR. STP 2.00 MTR. SPT-2	<table border="1"><tr><td>2</td><td>2</td><td>3</td></tr></table>	2	2	3	0.70 mms C.P.S. WATER
2	2	3			
2.00 MTR. STP 2.55 MTR. S.D.S-3					
2.55 MTR. STP 3.00 MTR. SPT-3	<table border="1"><tr><td>3</td><td>3</td><td>4</td></tr></table>	3	3	4	5-7
3	3	4			
3.00 MTR. STP 3.55 MTR. S.D.S-4					
3.55 MTR. STP 4.00 MTR. SPT-4	<table border="1"><tr><td>4</td><td>4</td><td>6</td></tr></table>	4	4	6	7-10
4	4	6			
4.00 MTR. STP 4.55 MTR. S.D.S-5					
4.55 MTR. STP 5.00 MTR. SPT-5	<table border="1"><tr><td>4</td><td>5</td><td>6</td></tr></table>	4	5	6	10-11 5.50 mms WATER TOUCH
4	5	6			
5.00 MTR. STP 5.55 MTR. S.D.S-6					
5.55 MTR. STP 6.00 MTR. SPT-6	<table border="1"><tr><td>4</td><td>5</td><td>7</td></tr></table>	4	5	7	11-12
4	5	7			
6.00 MTR. STP 6.55 MTR. S.D.S-7					
6.55 MTR. STP 7.00 MTR. SPT-7	<table border="1"><tr><td>3</td><td>4</td><td>6</td></tr></table>	3	4	6	12-10
3	4	6			
7.00 MTR. STP 7.55 MTR. S.D.S-8					
7.55 MTR. STP 8.00 MTR. SPT-8	<table border="1"><tr><td>4</td><td>5</td><td>7</td></tr></table>	4	5	7	10-12
4	5	7			
8.00 MTR. STP 8.55 MTR. S.D.S-9					
8.55 MTR. STP 9.00 MTR. SPT-9	<table border="1"><tr><td>6</td><td>7</td><td>8</td></tr></table>	6	7	8	12-15
6	7	8			
9.00 MTR. STP 9.55 MTR. S.D.S-10					
9.55 MTR. STP 10.00 MTR. SPT-10	<table border="1"><tr><td>7</td><td>8</td><td>10</td></tr></table>	7	8	10	15-18.
7	8	10			



SREEDEVI ENGINEERING ENTERPRISES

Undertaking soil test and
Pile Bore Works
Relief Wells & Piezometer Works
Pile Foundation & NX Diamond Core Drilling
& Plate Load & File Load Test

GSTIN : 37ACFFS7989H2Z9



Sinice : 1965

email : Sreedevieng@Gmail.com

Nehru Street,
Near Raavi Chettu,
Seetharampuram,
VIJAYAWADA - 520 002.
Ph : 0866-2439062
Cell : 9247297733
9848474408
9848539300

Tej

C

18/9/21

TO,
THE PRINCIPAL,
ANDHRA LOYOLA ENGINEERING COLLEGE,
VIJAYAWADA,

subject:- Construction of Residential Building at Eluru.

Sir,
we will submit you the soil samples of work done
so, please kindly do necessary tests and give
the final report and we are do the payment.

Report address:-

CH. NAGIA DURGA PRASAD,
S/O, Mohan Rao,
Door no:- 22B-12-6,
Survey no:- 802, 805 & 807.
opposite, Hindi Niketan,
Power Peta,
Eluru - 534002.

yours faithfully,
K. Srinivasa



L.C.No. VJ2/06/1/2224/02-03

Since : 1965



SREEDEVI ENGINEERING ENTERPRISES

Nehru Street, Near Raavi Chettu, Seetharampuram, VIJAYAWADA - 520 002.

Ph : 0866-2439062, Cell : 9247297733, 9848474408, 9848539300,

Fax : 0866-2436867 E-mail : sreedevieng@gmail.com

Bore - 1

Date : 18/9/21

Name of Work : Elouu Location :

Bore Particulars		SPT Values		
DS No.	Water Touch	0-15	15-30	30-45
1	0.00M to 0.55M			
SPT No. 1	0.55M to 1.00M	1	1	2
4 th met ^{er} dark brown clay				
2	1.00M to 1.55M			
SPT No. 2	1.55M to 2.00M	2	2	2
3	2.00M to 2.55M			
SPT No. 3	2.55M to 3.00M	3	3	3
4	3.00M to 3.55M			
SPT No. 4	3.55M to 4.00M	4	4	5
5	4.00M to 4.55M			
SPT No. 5	4.55M to 5.00M	4	5	5
6	5.00M to 5.55M			
SPT No. 6	5.55M to 6.00M	5	5	6
7	6.00M to 6.55M			
SPT No. 7	6.55M to 7.00M	5	6	7
8	7.00M to 7.55M			
SPT No. 8	7.55M to 8.00M	6	7	8
9	8.00M to 8.55M			
SPT No. 9	8.55M to 9.00M	7	9	9
10	9.00M to 9.55M			
SPT No. 10	9.55M to 10.00M	8	10	12

Survey ward NO. 1,
Bandar East, Krishna district
Kachilipatnam.

K. S. J.

18-2



A.C.No. VJ2/06/1/2224/02-03

Since : 1965



SREEDEVI ENGINEERING ENTERPRISES

Nehru Street, Near Raavi Chettu, Seetharampuram, VIJAYAWADA - 520 002.

Ph : 0866-2439062, Cell : 9247297733, 9848474408, 9848539300.

Fax : 0866-2436867 E-mail : sreedevieng@gmail.com

Bore - 2

Date :

Name of Work : Eluvu Location : _____

Bore Particulars 4th mtr
Water Touch

SPT Values

DS No. 1	0.00M to 0.55M	D.B.C	0-15	15-30	30-45	4
SPT No. 1	0.55M to 1.00M		2	2	2	
DS No. 2	1.00M to 1.55M	D.B.C	0-15	15-30	30-45	4-1
SPT No. 2	1.55M to 2.00M		2	3	3	
DS No. 3	2.00M to 2.55M	"	0-15	15-30	30-45	6-8
SPT No. 3	2.55M to 3.00M		3	4	4	
DS No. 4	3.00M to 3.55M	"	0-15	15-30	30-45	8-1
SPT No. 4	3.55M to 4.00M		4	5	5	
DS No. 5	4.00M to 4.55M	"/	0-15	15-30	30-45	10-1
SPT No. 5	4.55M to 5.00M		5	6	6	
DS No. 6	5.00M to 5.55M		0-15	15-30	30-45	
SPT No. 6	5.55M to 6.00M					
DS No. 7	6.00M to 6.55M		0-15	15-30	30-45	
SPT No. 7	6.55M to 7.00M					
DS No. 8	7.00M to 7.55M		0-15	15-30	30-45	
SPT No. 8	7.55M to 8.00M					
DS No. 9	8.00M to 8.55M		0-15	15-30	30-45	
SPT No. 9	8.55M to 9.00M					
DS No. 10	9.00M to 9.55M		0-15	15-30	30-45	
SPT No. 10	9.55M to 10.00M					



20/10/2021

Cell : 97040 69563
98481 49370

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: NUNNA
(KRISHNADIST)

Date: 7/10/2021

To
The principal
Andhra Loyola College of Eng
Visayawada

Dear Sir,

We done Soil Investigation works at NUNNA. We collected soil sample from

(10 & 1) bore holes. Please test collected samples and
Recommended CH

Construction.

(Ground floor + first floor) Residential Building @

SRI. KUYURU Rami Reddy,
S/O VENKATA REDDY.

N.D NO: 3-53

R.S. NO: 611/7,

NUNNA VILLAGE PANCHAYATH
VISAYAWADA RURAL,
KRISHNA DISTRICT.

Your's Truly

K. SURESH
Soeb

Rs 14000/-
Received [Signature]
10/10/21.



INFRA SERVICES Cell : 97040 69563 SANDHYA SOIL ENGINEERING WORKS 98481 49370

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

NUNA
BH-1

DATE = 7/10/2021.

WATER LEVEL
1.30 METERS.

0.00 METERS TO 1.00 METERS D.S-1	<u>Compd.</u>				
(0.00 METERS TO 1.30 METERS (level of soil))					Reddish ^{with} sandy clay
1.00 METERS TO 1.55 METERS D.S-2					
1.55 METERS TO 2.00 METERS S.P.T-2		1	1	1	1.00 METERS C.P.G. WATER
2.00 METERS TO 2.55 METERS D.S-3					
2.55 METERS TO 3.00 METERS S.P.T-3		2	2	3	Reddish silty clay
3.00 METERS TO 3.55 METERS D.S-4					
3.55 METERS TO 4.00 METERS S.P.T-4		3	4	6	2.50 METERS WATER
4.00 METERS TO 4.55 METERS D.S-5					Reddish clay
4.55 METERS TO 5.00 METERS S.P.T-5		3	5	6	D.B.C
4.55 METERS TO 5.55 METERS D.S-6					
5.55 METERS TO 6.00 METERS S.P.T-6		7	8	12	D.B.C
6.00 METERS TO 6.55 METERS D.S-7					
6.55 METERS TO 7.00 METERS S.P.T-7		6	7	11	Yellow with brown clay
7.00 METERS TO 7.55 METERS D.S-8					
7.55 METERS TO 8.00 METERS S.P.T-8		6	7	10)
8.00 METERS TO 8.55 METERS D.S-9					
8.55 METERS TO 9.00 METERS S.P.T-9		7	8	10)
9.00 METERS TO 9.55 METERS D.S-10					
9.55 METERS TO 10.00 METERS S.P.T-10		6	9	13)



SREEDEVI ENGINEERING ENTERPRISES

Undertaking soil test and
Pile Bore Works
Relief Wells & Piezometer Works
Pile Foundation & NX Diamond Core Drilling
& Plate Load & File Load Test
GSTIN : 37ACFFS7989H2Z9



Since : 1965

email : Sreedevieng@gmail.com

Nehru Street,
Near Raavi Chettu,
Seetharamapuram,
VIJAYAWADA - 520 002.
Ph : 0866-2439062
Cell : 9247297733
9848474408
9848539300

TO,
THE PRINCIPAL,
ANDHRA LOYOLA ENGINEERING COLLEGE,
VIJAYAWADA.

Jak C
16.10.21
Paid
160

SUBJECT :- Construction of Residential building at
Vijayawada.

Sir,
we will submit to the soil samples of the
work done. so, please kindly do the necessary
tests required as gives us the report as early
as possible. we are ready to do the payment.

your's faithfully,

Report address :-
chirivirala Ramesh,
510, chirivirala srinivasa Rao
NTS NO :- 39,
Door NO :- 24-29-214/4,
kakaralavari vidi, gulabi thota,
Vijayawada, Krishna district.

27/10/21



No. VJ2/06/1/2224/02-03

Since : 1965



SREEDEVI ENGINEERING ENTERPRISES

Nehru Street, Near Raavi Chettu, Seetharampuram, VIJAYAWADA - 520 002.

Ph : 0866-2439062, Cell : 9247297733, 9848474408, 9848539300.

Fax : 0866-2436867 E-mail : sreedevleng@gmail.com

Name of Work : Acropolis

Date : 16.10.21

Location :

Bore Particulars - 1

Water Touch - 2.00 swage water.

SPT Values

DS No.	Depth (M)	Soil Description	0-15	15-30	30-45	Total
1	0.00M to 0.55M	Sand filling	0-15	15-30	30-45	
SPT No. 1	0.55M to 1.00M		—	—	—	
2	1.00M to 1.55M	Sand filling	0-15	15-30	30-45	
SPT No. 2	1.55M to 2.00M		—	—	—	
3	2.00M to 2.55M	Gly clay	0-15	15-30	30-45	
SPT No. 3	2.55M to 3.00M		2	3	3	6 ✓
4	3.00M to 3.55M	"	0-15	15-30	30-45	
SPT No. 4	3.55M to 4.00M		3	4	4	8 ✓
5	4.00M to 4.55M	"	0-15	15-30	30-45	
SPT No. 5	4.55M to 5.00M		4	5	6	11 ✓
6	5.00M to 5.55M	"	0-15	15-30	30-45	
SPT No. 6	5.55M to 6.00M		6	6	7	13 ✓
7	6.00M to 6.55M	"	0-15	15-30	30-45	
SPT No. 7	6.55M to 7.00M		6	7	8	15 ✓
8	7.00M to 7.55M	"	0-15	15-30	30-45	
SPT No. 8	7.55M to 8.00M		7	8	9	17 ✓
9	8.00M to 8.55M	"	0-15	15-30	30-45	
SPT No. 9	8.55M to 9.00M		8	8	9	17 ✓
10	9.00M to 9.55M	"	0-15	15-30	30-45	
SPT No. 10	9.55M to 10.00M		9	8	10	18 ✓



INFRA SERVICES. Cell : 97040 69563
98481 49370
SANDHYA SOIL ENGINEERING WORKS
(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: JANGA REDDIGudem.
(WEST GODAVARI DIST).

Date: 13/11/2021.

To

Dear Sir,

We done Soil Investigation works at JANGA REDDIGudem. We collected soil sample from


(10) m, (2) bore holes. Please test collected samples and
Recommended GRS

Construction.

R. S. NO: - 454
nearest Door NO: - 9-3-140,
Jangareddy Gudem (V),
Janga reddy Gudem (M),
West Godavari District,

Kudapa Venkata Ratnamba
w/o Rama Rao.

Your's Truly


K. SURESH

~~Mr~~ Kudapa Rama Rao
S/O Brahmanna (late)
Kudapa Venkata Phanidhar
S/O Rama Rao
Kudapa Jahnavi,
w/o Venkata Phanidhar



Cell : 97040 69563
98481 49370

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

JANGA REDDI Gudem.

DATE = 13/11/2021

B.H-1.

WATER BOUND
NILL

- 0.00 m.c.r.s to 0.55 m.c.r.s. D.S-1
- 0.55 m.c.r.s to 1.00 m.c.r.s. S.P.T-1.

2	2	3
---	---	---

 reddish clay
- 1.00 m.c.r.s to 1.55 m.c.r.s. D.S-2
- 1.55 m.c.r.s to 2.00 m.c.r.s. S.P.T-2.

3	4	5
---	---	---

 9) 2.5 = 4.
- 2.00 m.c.r.s to 2.55 m.c.r.s. D.S-3
- 2.55 m.c.r.s to 3.00 m.c.r.s. S.P.T-3.

6	8	13
---	---	----

 21 3.0 = 20
Reddish clayey gravel
- 3.00 m.c.r.s to 3.55 m.c.r.s. D.S-4.
- 3.55 m.c.r.s to 4.00 m.c.r.s. S.P.T-4.

20	25	28
----	----	----

 11

B.H-2.

750

WATER BOUND
NILL

- 0.00 m.c.r.s to 0.55 m.c.r.s. D.S-1
- 0.55 m.c.r.s to 1.00 m.c.r.s. S.P.T-1.

3	4	4
---	---	---

 reddish clay 8
- 1.00 m.c.r.s to 1.55 m.c.r.s. D.S-2
- 1.55 m.c.r.s to 2.00 m.c.r.s. S.P.T-2.

3	4	6
---	---	---

 11 10
- 2.00 m.c.r.s to 2.55 m.c.r.s. D.S-3
- 2.55 m.c.r.s to 3.00 m.c.r.s. S.P.T-3.

7	8	11
---	---	----

 11 20
- 3.00 m.c.r.s to 3.55 m.c.r.s. D.S-4
- 3.55 m.c.r.s to 4.00 m.c.r.s. S.P.T-4.

16	12	10
----	----	----

 GC 22
- 4.00 m.c.r.s to 4.55 m.c.r.s. D.S-5
- 4.55 m.c.r.s to 5.00 m.c.r.s. S.P.T-5.

9	12	16
---	----	----

 GC 28
- 5.00 m.c.r.s to 5.55 m.c.r.s. D.S-6
- 5.55 m.c.r.s to 6.00 m.c.r.s. S.P.T-6.

30/7cm	-	-
--------	---	---

 GC 750
> 750. UPSCALE.



Cell : 97040 69563

98481 49370

INFRA SERVICES.
SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

500

Ref: NUNA.

Date: 8/12/2021

(KRISHNADIZH)

To

Dear Sir,

We done Soil Investigation works at NUNA. We collected soil sample from

10m 2 bore holes. Please test collected samples and
Recommended _____

Construction.

client:-

mohan's nayara Reselling station.

survey NO: 640/1A,
Nunna BY-pass Road,
Vijayawada Rural,
A.P.

Your's Truly

K. Suresh
K. SURESH



SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

Cell : 97040 69563
98481 49370

INFRA SERVICES

NUNA.

B.H.1.

DATE = 8/12/2021.

WATER level

3.00 meters

0.00 meters to 0.55 meters D.S-1 (0.00 meters to 1.00 meters Fall out)			
0.55 meters to 1.00 meters S.P.T-1	2	3	3
1.00 meters to 1.55 meters D.S-2			
1.55 meters to 2.00 meters S.P.T-2	3	3	5
2.00 meters to 2.55 meters D.S-2			
2.55 meters to 3.00 meters S.P.T-3	3	4	5
3.00 meters to 3.55 meters D.S-4			
3.55 meters to 4.00 meters S.P.T-4	3	4	5
4.00 meters to 4.55 meters D.S-5			
4.55 meters to 5.00 meters S.P.T-5	5	7	10

B.H.2

WATER level

2.80 meters

0.00 meters to 0.55 meters D.S-1 (0.00 meters to 1.00 meters Fall out)			
0.55 meters to 1.00 meters S.P.T-1	2	3	4
1.00 meters to 1.55 meters D.S-2			
1.55 meters to 2.00 meters S.P.T-2	3	4	5
2.00 meters to 2.55 meters D.S-3			
2.55 meters to 3.00 meters S.P.T-3	3	5	6
3.00 meters to 3.55 meters D.S-4			
3.55 meters to 4.00 meters S.P.T-4	4	5	6
4.00 meters to 4.55 meters D.S-5			
4.55 meters to 5.00 meters S.P.T-5	5	6	10



Cell : 97040 69563

98481 49370

INFRA SERVICES.

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: VUYURU
(KRISHNADIK)

Date: 21/01/2022

To

Dear Sir,

We done Soil Investigation works at VUYURU. We collected soil sample from

20 → 2 bore holes. Please test collected samples and

Recommended CAT

Construction.

Handwritten signature/initials

Your's Truly

Handwritten signature
K. SURESH



INFRA SERVICES.

Cell : 97040 69563
98481 49370

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

VUYUDU

B.H. 1

DATE = 21/01/2022

WATER BOUND

1.00 →

0.00 METERS TO 0.55 METERS. D.S-1.

D.B.C

0.55 METERS TO 1.00 METERS. SPT-1 [2 2 3] 5

1.50 METERS.

1.00 METERS TO 1.55 METERS. D.S-2

WATER BOUND

1.55 METERS TO 2.00 METERS. SPT-2 [3 4 4] 8

D.B.C

2.00 METERS TO 2.55 METERS. D.S-3

2.50 METERS

2.55 METERS TO 3.00 METERS. SPT-3 [3 4 5] 9

D.B.C

3.00 METERS TO 3.55 METERS. D.S-4.

3.55 METERS TO 4.00 METERS. SPT-4 [3 4 4] 8

silty sand.

4.00 METERS TO 4.55 METERS. D.S-5

))

4.55 METERS TO 5.00 METERS. SPT-5 [4 5 8] 13

5.30 METERS.

5.00 METERS TO 5.55 METERS. D.S-6

Changrook

5.55 METERS TO 6.00 METERS. SPT-6 [6 7 8] 15

6.00 METERS TO 6.55 METERS. D.S-7

6.55 METERS TO 7.00 METERS. SPT-7 [5 7 9] 16

7.00 METERS TO 7.55 METERS. D.S-8

7.55 METERS TO 8.00 METERS. SPT-8 [6 8 10] 18

8.00 METERS TO 8.55 METERS. D.S-9

8.55 METERS TO 9.00 METERS. SPT-9 [5 8 9] 17

9.00 METERS TO 9.55 METERS. D.S-10

9.55 METERS TO 10.00 METERS. SPT-10 [6 7 11] 18

Sand



INFRA SERVICES

Cell : 97040 69563
98481 49370

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

B.H.2.

WATER

1.00 m

0.00 m to 0.55 m D.S-1.

0.55 m to 1.00 m SPT-1

2	2	2
---	---	---

 4 D.B.C

1.00 m

1.00 m to 1.55 m D.S-2

WATER

1.55 m to 2.00 m SPT-2

3	3	4
---	---	---

 7 D.B.C

TOO MUCH

2.00 m to 2.55 m D.S-3.

D.B.C

2.55 m to 3.00 m SPT-3

3	4	4
---	---	---

 8

2.90 m

3.00 m to 3.55 m D.S-4

3.55 m to 4.00 m SPT-4

3	4	5
---	---	---

 9 sm

ABNORMAL

4.00 m to 4.55 m D.S-5

4.55 m to 5.00 m SPT-5

4	5	7
---	---	---

 12 ^{CI}

5.10 m

5.00 m to 5.55 m D.S-6

dry touch

5.55 m to 6.00 m SPT-6

5	7	9
---	---	---

 16

6.00 m to 6.55 m D.S-7

6.55 m to 7.00 m SPT-7

6	8	8
---	---	---

 16

7.00 m to 7.55 m D.S-8

7.55 m to 8.00 m SPT-8

6	8	9
---	---	---

 17

8.00 m to 8.55 m D.S-9

8.55 m to 9.00 m SPT-9

5	7	10
---	---	----

 17

9.00 m to 9.55 m D.S-10

9.55 m to 10.00 m SPT-10

6	9	13
---	---	----

 22

K. Lakshmi
-
Devi

PLAN SHOWING THE PROPOSED CONSTRUCTION OF R.C.C ROOF
RESIDENTIAL APARTMENT BUILDING CONSISTING OF STILT(PARKING),
GROUND, FIRST, SECOND, THIRD & FOURTH FLOORS LOCATED AT
R.S.No:666/2C, 666/3B OF VUYURU(V), NEAREST DOOR No: 7-343,
L.P.NO:12/2020/1168/APCRDA/DPMS, PLOT NO:18,19,20,31,32,33
VUYURU(V), VUYURU NAGARA PANCHAYATH,
VUYURU(M), KRISHNA DISTRICT.,

SITE OWNER

Sri. VEMURI SATYA SADA SIVA RAO S/o. SIVA SUBRAMANYAM

PLAN SHOWING THE PROPOSED CONSTRUCTION OF R.C.C ROOF
INDIVIDUAL RESIDENTIAL BUILDING CONSISTING OF

GROUND(AS PER Z.R LOCAL SHOPS)

& FIRST FLOORS(RESIDENTIAL) PLAN LOCATED

AT R.S.No: 666/2C, 666/3B OF VUYURU(V),

L.P. No: 12/2020/1168/APCRDA/DPMS,

PLOT No: 21,22,30,29, NEAREST DOOR No : 7-343,

VUYURU NAGARA PANCHAYATH,

VUYURU(M), KRISHNA DISTRICT.

BUILDER: GORREPATI SIVASANKARA RAO

SITE OWNER

Sri. VEMURI VENKATA KUTUMBA RAO S/o. SIVA SUBRAHMANYAM



Cell : 97040 69583
98481 49370

INFRA SERVICES.
SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: PORANKI
(KRISHNAPUR)

Date: 4/02/2022

To

Dear Sir,

We done Soil Investigation works at PORANKI. We collected soil sample from

10 1 bore holes. Please test collected samples and
Recommended OK

Construction.

R. S. NO:- 407/1,
DOOR NO:- 1-214,
PORANKI VILLAGE,
PENAMALURU MANDAL,
KRISHNA DISTRICT.

client:-

MULI MALAKONDA REDDY, S/O NARAPAREDDY

MULI MADHAVA, S/O LAKSHMI REDDY

Your's Truly

K. Suresh
K. SURESH



SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

Cell : 97040 69563
98481 49370

PORANKI

DATE = 4/02/2022

Depth (m)	Soil Type	SPT	Remarks
0.00 m to 0.55 m	DS-1		
0.55 m to 1.00 m	S.P.T-1	2 2 3	clay
1.00 m to 1.55 m	DS-2		
1.55 m to 2.00 m	S.P.T-2	2 3 3	clay
2.00 m to 2.55 m	DS-3		
2.55 m to 3.00 m	S.P.T-3	3 4 5	clay
3.00 m to 3.55 m	DS-4		
3.55 m to 4.00 m	S.P.T-4	4 6 8	clay
4.00 m to 4.55 m	DS-5		
4.55 m to 5.00 m	S.P.T-5	3 2 3	sandy clay
5.00 m to 5.55 m	DS-6		
5.55 m to 6.00 m	S.P.T-6	6 8 9	sandy clay
6.00 m to 6.55 m	DS-7		
6.55 m to 7.00 m	S.P.T-7	3 4 5	sandy clay
7.00 m to 7.55 m	DS-7		
7.55 m to 8.00 m	S.P.T-8	5 7 10	clay
8.00 m to 8.55 m	DS-9		
8.55 m to 9.00 m	S.P.T-9	8 11 13	clay
9.00 m to 9.55 m	DS-10		
9.55 m to 10.00 m	S.P.T-10	10 12 15	clay

WATER level

0.50 m

1.50 m

WATER TOUCH

3.50 m

7.50 m

SSS SAND

AND MISTLE

7.50 m

clay

THIN



INFRASERVICES
SANDHYA SOIL ENGINEERING WORKS

Cell : 97040 69563
98481 49370

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: 10A/2022

(1025 SH-AD/22)

Date: 17/03/2022

To

Dear Sir,

We done Soil Investigation works at 10A/2022. We collected soil sample from

(10-2) bore holes. Please test collected samples and

Recommended CAT3

Construction.

Construction of multistoried Building:-

melam. Ramesh
R.S. NO 259/4
DOOR NO 5-120
Kahuru Killage,
Penamaluru mandal,
Krishna District.

Your's Truly

K. Suresh
K. SURESH

Soil
Testory

Rs 9000/-

Received Rs 9000/-
Suma
24/3/2022



SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

Cell : 97040 89583

98481 49370

KANUPU
B.H.I

DATE 27/03/2022

WATER BENT

7.70 m

0.00 m to 0.55 m → D.S-1

0.55 m to 1.00 m → S.P.T-1

1	2	2
---	---	---

Dark Brown clay

1.00 m to 1.55 m → D.S-2

1.55 m to 2.00 m → S.P.T-2

2	2	3
---	---	---

"

2.00 m to 2.55 m → D.S-3

2.55 m to 3.00 m → S.P.T-3

3	3	4
---	---	---

"

3.00 m to 3.55 m → D.S-4

3.55 m to 4.00 m → S.P.T-4

3	4	6
---	---	---

"

4.00 m to 4.55 m → D.S-5

4.55 m to 5.00 m → S.P.T-5

6	7	7
---	---	---

Dark Brown sandy clay

5.00 m to 5.55 m → D.S-6

5.55 m to 6.00 m → S.P.T-6

6	5	5
---	---	---

"

6.00 m to 6.55 m → D.S-7

6.55 m to 7.00 m → S.P.T-7

6	7	8
---	---	---

7.70 m

7.00 m to 7.55 m → D.S-8

7.55 m to 8.00 m → S.P.T-8

6	7	9
---	---	---

"

8.00 m to 8.55 m → D.S-9

8.55 m to 9.00 m → S.P.T-9

7	8	9
---	---	---

Dark Brown sandy clay

9.00 m to 9.55 m → D.S-10

9.55 m to 10.00 m → S.P.T-10

6	10	12
---	----	----

"

2.2



Cell : 97040 69563
98481 49370

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref: KONDAPALLY
(KRISHNADIST)

Date: 6/14/2022

To

Dear Sir,

We done Soil Investigation works at KONDAPALLY We collected soil sample from

3 bore holes. Please test collected samples and

Recommended _____

Construction.

client

construction of R.C.C framed
Industrial shed.

m/s sai gluco pharma.

managing partner: M. Laxmipathi

Location: - Plot NO: 68A & 68B,

I.D.A Konda Palli

(Konda Palli CV)

Ibrahimpattanamandal:

Krishna(Dist)

Your's Truly

K. Suresh
K. SURESH

M 24 87



Cell : 97040 69563
98481 49370

INFRASERVICES ANDHRA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

KONDAPALLY

DATE = 6/14/2022

B.H.1

WATER LEVEL
NIL

0.00 m to 0.50 m	0.50 m to 1.00 m	S.P.T-1	2 2 3	D.B.C 5	
1.00 m to 1.50 m	1.50 m to 2.00 m	S.P.T-2	3 3 4	D.B.C 7	
2.00 m to 2.50 m	2.50 m to 3.00 m	S.P.T-3	4 6 8	D.B.C 14	
3.00 m to 3.50 m	3.50 m to 4.00 m	S.P.T-4	6 11 16	yellowish B.C with pebbles	CI
4.00 m to 4.50 m	4.50 m to 5.00 m	S.P.T-5	13 10 9)	CI
5.00 m to 5.50 m	5.50 m to 6.00 m	S.P.T-6	15 20 25	yellowish brown clay with pebbles	CI

B.H.2

WATER LEVEL

0.00 m to 0.50 m	0.50 m to 1.00 m	S.P.T-1	2 2 3	D.B.C	CH
1.00 m to 1.50 m	1.50 m to 2.00 m	S.P.T-2	2 3 4	D.B.C	CH
2.00 m to 2.50 m	2.50 m to 3.00 m	S.P.T-3	6 7 9	D.B.C	CH
3.00 m to 3.50 m	3.50 m to 4.00 m	S.P.T-4	10 15 18	yellowish brown clay with pebbles	CI
4.00 m to 4.50 m	4.50 m to 5.00 m	S.P.T-5	19 23 27)	CI
5.00 m to 5.50 m	5.50 m to 6.00 m	S.P.T-6	20 25 30		



ANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

Cell : 97040 69563
98481 49370

INFRA S&R WORKS

B.H.3

WATER BENT

0.00m to 0.5m	D.S-1				
0.5m to 1.00m	S.P.T-1	1	2	2	4 D.B.C
1.00m to 1.5m	D.S-2				
1.55m to 2.00m	S.P.T-2	2	3	4	7 D.B.C
2.00m to 2.5m	D.S-3				
2.5m to 3.00m	S.P.T-3	4	7	9	16 D.B.C
3.00m to 3.5m	D.S-4				
3.5m to 4.00m	S.P.T-4	8	13	16	27 Yellowish Brown clay with pebbles
4.00m to 4.5m	D.S-5				
4.5m to 5.00m	S.P.T-5	19	20	25	45 "
5.00m to 5.5m	D.S-6				
5.5m to 6.00m	S.P.T-6	20	22	30	52 "

750.



Cell : 97040 69563
98481 49370

INFRA SERVICE

SANDHYA SOIL ENGINEERING WORKS

(The Complete Sub Soil Investigation)

D.No. 5-239, Mustabada (V), Gannavaram (M), Krishna Dist., A.P.

email : soiltestsuresh@gmail.com

Ref : *CUNDALA*
(VISTANARACU)

Date : *10/05/2022*

To

Dear Sir,

We done Soil Investigation works at *CUNDALA*. We collected soil sample from

(10m) (1) bore holes. Please test collected samples and

Recommended *CRF*

Construction.

Your's Truly

K. Suresh
K. SURESH



INFRA SERVICES SANDHYA SOIL ENGINEERING WORKS

Cell : 97040 69563
98481 49370

(The Complete Sub Soil Investigation)

D.No. 29-28-45, Dasarivari Street, VIJAYAWADA.

e-mail : soiltestsuresh@gmail.com

CHUNADALA

BH. 1.

DATE = 10/05/2022

WATER BUREAU

24

0.00. METR STP 1.00. METR D.S-1	Core	
(0.00. METR STP 1.60. METR. FERTILIZER)		
1.00. METR STP 1.55. METR D.S-2		
1.55. METR STP 2.00. METR S.P.T-2	2 3 5	8
2.00. METR STP 2.55. METR D.S-3	D.B-C clay	
2.55. METR STP 3.00. METR S.P.T-3	4 6 7	13
3.00. METR STP 3.55. METR D.S-4	D.B-C	
3.55. METR STP 4.00. METR S.P.T-4	4 6 8	14
4.00. METR STP 4.55. METR D.S-5	D.B-C	
4.55. METR STP 5.00. METR S.P.T-5	5 8 10	18
5.00. METR STP 5.55. METR D.S-6	D.B-C	
5.55. METR STP 6.00. METR S.P.T-6	12 17 20	37
6.00. METR STP 6.55. METR D.S-7	D.B-C	
6.55. METR STP 7.00. METR S.P.T-7	12 15 18	33
7.00. METR STP 7.55. METR D.S-8	D.B-C	
7.55. METR STP 8.00. METR S.P.T-8	14 17 20	37
8.00. METR STP 8.55. METR D.S-9	Blackish clay	
8.55. METR STP 9.00. METR S.P.T-9	13 18 19	37
9.00. METR STP 9.55. METR D.S-10	Blackish fine sandy clay	
9.55. METR STP 10.00. METR S.P.T-10	10 19 21	40
	yellowish brown sandy clay	



JUNE 21

From ,

Sri A.Harinadh Babu B.Tech.,
Deputy Executive Engineer ,
Panchyat Raj Subdivision,
Gudivada.

To,

The Principal,
Gudlavalleru Engineering college ,
Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 11-04-2021

Sir,


Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt.18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 15-03-2021 with M30 mix concrete for obtaining the 28 days (11 -04 -2021) cube strength of the above concrete is used for **VRCC M30 for Ground floor Roof slab 'Construction of Grama sachivalayam building at Pedalingala (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end**

Materials Tested
Rs good.

Yours faithfully


Deputy Executive Engineer
PRI subdivision
Gudivada

Received Rs 9000/-
Ammey
21/06/21



June 21

From ,
Sri A.Harinadh Babu B.Tech.,
Deputy Executive Engineer ,
Panchyat Raj Subdivision,
Gudivada.

To,
The Principal,
Gudlavalleru Engineering college ,
Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 11-04-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 15-03-2021 with M30 mix concrete for obtaining the 28 days (11 -04 -2021) cube strength of the above concrete is used for **VRCC M30 for Roof slab Construction of RBK building at Pedalingala (v) of Nandivada Mandal Est Cost Rs 21.80 lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully


Deputy Executive Engineer
PRI subdivision
Gudivada

27.4.20

1800



From ,
Sri A.Harinadh Babu B.Tech.,
Deputy Executive Engineer ,
Panchyat Raj Subdivision,
Gudivada.

To,
The Principal,
Gudlavalleru Engineering college ,
Gudlavalleru.

Lr no / JTO/PRI SD/Gudivada / Grama Sachivalayam/reports/2009 dt 23-05-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 26-04-2021 with M30 mix concrete for obtaining the 28 days (23 -05 -2021) cube strength of the above concrete is used for **VRCC M30 for First floor Roof slab Construction of Grama sachivalayam building at Pedalingala (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end**

Yours faithfully


Deputy Executive Engineer
PRI subdivision
Gudivada



**SRI PADMAVATHI
CONSTRUCTIONS**

PAN : ADBFS7043K
GSTIN : 37ADBFS7043K1Z5 (AP)
: 36ADBFS7043K1ZU (TELANGANA)

45-35-42, Flat No.301, 'SREE RAMA NILAYAM', Jagannadhapuram, Akkayapalem, Visakhapatnam - 530 016
Ph: 9059477999, email: sripadmavathiconstructions@yahoo.in

Ref. SPC/2021-22/26

Date: 10.07.2021

To
The Lab In charge,
Department of Civil Engineering,
Andhra Loyola Institute of Engineering
and Technology,
Vijayawada - 520008.

Sub: Testing of Materials -- Cement Concrete Cubes - Grade M20 Concrete - for 7 days -- Requested - Reg.

Ref: Name of the Work: "DEVELOPMENT OF NEW A SITE KSK AT YERRAVARAM(V), YELLESWARAM(M), EAST GODAVARI(D) VIZAG DIVISIONAL OFFICE"

Name of the Contractor: M/s Sri Padmavathi Constructions, Visakhapatnam

Dear Sir,

With reference to the above, we are requesting you to do the needful tests for the following construction materials:

CEMENT CONCRETE CUBES :

Testing for : Cement Concrete Cubes - 3 nos. - Compressive Strength for 7 days.
Size of Cubes : 150 x 150 x 150 mm (for Sales Building RCC Roof Slab)
Grade of Concrete : M20 (RCC 1:1.5:3)
Date of Casting : Dt. 03.07.2021

Kindly requesting you to do the needful tests for the above materials, for that necessary test charges we will pay through challan.

Thanking you sir,
Yours Truly,
for M/s Sri Padmavathi Constructions,

Site Engineer

materials Testing
Rs 6300/-

Received Rs.6,300/-

Suman
20/7/21

2074067106



ANDHRA PRADESH STATE
POLICE HOUSING CORPORATION LIMITED
(An ISO 9001:2000 undertaking of the state Government)

Division office, APSPHC Division Office Building, C AR Lines, Labbipet, Vijayawada-520019.

Aug 21

Lr.No. AEE/PHC/ VJA/POLLUTION CONTORL BOARD/VJA/20-21

Dt: 27-07 -2021.

From
Asst. Executive Engineer,
A.P.S Police Housing Corpn
VIJAYAWADA

To
The Principal,
The Andhra Loyola Institute of
Engineering and Technology,
ITI Road, Polytechnic Post Office,
Beside Ramesh Hospital,
VIJAYAWADA

Sir,

Sub:- Construction of Zonal Office Building with Laboratory Facility for A.P
Pollution Control Board at Vijayawadaof Krishna District – Testing of Cubes
– Request -Reg

Ref:- MD/LS/TW-II/119/2020-21,Date: 27.07.2020.

I am here with sending two sets of the 6 samples for each set of VRCC M30
Design Mix cubes for Stilt Floor Roof Slab & Beams laid on 27-07-2021. We request you to
please test the samples for 7 days and 28 days and send us the test reports.

Yours Sincerely,

P. Madhava
27/7/21
Asst. EXECUTIVE ENGINEER,
APSPHC LTD:: VIJAYAWADA

*Chintha
Met. Form
As 3 3t 3/ = dt 7.9.21
or form (15)*

Received amt. Rs 3363
through online on
07-08-2021
Suma



(F) *Sep-2* / Vijayawada,
20-08-2020.
Bill

Proof Checking Charges for Designs and Drawings for Seed Storage Godowns at Badabanda Village at Srikakulam District and Gandhavaram Village at Visakhapatnam District @ 20/- per SQM

Area of Seed Storage Godowns at Badabanda Village of Srikakulam District: - 2000 SqM

Area of Seed Storage Godowns at Gandhavaram Village of Visakhapatnam District: - 2000 SqM

Amount = 4000 X 20 = Rs 80,000/- (Rupees Eighty Thousand rupees only)

The Amount may be paid through Cheque/DD in favour of

“The Loyola College Society - Guntur”

Ac.No:- 153101000019941,

IFSC code: - IOBA0001531,

Indian Overseas Bank,

ALC campus, Vijayawada

Rs 80,000 Paid on line
from C.E , APHPC, Mangalagiri
HoD-CE

AXMB21263943523
19941 - BT: 20/9/21
Received Rs 80,000/-
on 20/9/21



FABEX
STEEL STRUCTURES

October

2021
Date: 25.09.2021

To,
The Loyola Collage,
Civil Department,
Vijayawada,

Sub: Testing of water quality for Construction.

Dear sir/Madam,


We Fabex Steel Structures Pvt Ltd, Donabanda, Ibrahimpatnam Mandal, Krishna District, Andhra Pradesh. We want to test our ground water for our Plant construction purposes so kindly conduct a water quality test at your convenience.

Thanking you,

For Fabex Steel Structures Pvt Ltd,

[Signature]

Authorized Signatory,



Received cash

Rs. 1,180/-

E. S. S. S.
30/9/21

CIN : U28999TG2019PTC135610

FABEX STEEL STRUCTURES PVT. LTD.

Registered Office : 503, Vamsi Krishna Apartments, D K Road, Ameerpet, Hyderabad - 500016, TELANGANA, INDIA.
Phone - +91 9848054083 (India), +255 753753753 (Africa), +971 561427898 (Dubai)

e-mail-sales@fabexsteel.com, Web site : www.fabexsteel.com

Manufacturing Plant : NH 65, HYD-VJA Highway, Kachavaram - Donabanda (V), Vijayawada, Krishna (D), AP - 521 458, INDIA



10021

SOUTH CENTRAL RAILWAY

Office of the
Senior Section Engineer (works)
Eluru.

No: EE/ 17

DT: 06-02-2021

To

The Principal,
Andhra Loyola institute of Engineering & technology,
Vijayawada.

Sub: - Testing of Cement concrete Cubes M 20 for Boundary walls
SSE/Works/EE Section- reg.

Ref: - Agt.no: 07/Sr DEN/N/BZA/2016 Dt.11.04.16

With reference to the above Agt.of work ,Ballast retainers for LC gates and boundary walls under ADEN/EE sub division are laid with Design Mix 20 grade of concrete on date 03.02.2021

- | | | | |
|---|--------------------------|----|------------|
| 1 | Date of casting | :- | 03.02.2021 |
| 2 | Date of testing (28days) | :- | 03.03.2021 |
| 3 | Proportion of Design Mix | :- | M 20 |

Kindly issue the cube test result for the above samples to the undersigned please.

Materials Testing

Received Rs. 4,500/-

E. G. Gupta
25/11/2021

SSE/Works/EE,
द.प.रेलवे, एलुरु
Sr. Section Engineer (Works)
S.C. Rly., Eluru

9440263287

4500



Doc. 21



ANDHRA PRADESH STATE

POLICE HOUSING CORPORATION LIMITED

(An ISO 9001:2000 undertaking of the state Government)

Division office, APSPHC Division Office Building, C AR Lines, Labbipet, Vijayawada-520010.

Lr.No. AEE/PHC/ VJA/POLLUTION CONTORL BOARD/VJA/20-21

Dt: 25-10 -2021.

From
Asst. Executive Engineer,
A.P.S Police Housing Corpn
VIJAYAWADA

To
The Principal,
The Andhra Loyola Institute of
Engineering and Technology,
ITI Road, Polytechnic Post Office,
Beside Ramesh Hospital,
VIJAYAWADA

Sir,

Sub:- Construction of Zonal Office Building with Laboratory Facility for A.P
Pollution Control Board at Vijayawadaof Krishna District – Testing of Cubes
– Request -Reg

Ref:- MD/LS/TW-II/119/2020-21,Date: 27.07.2020.

I am here with sending two sets of the 6 samples for each set of VRCC M25
Design Mix cubes for Third Floor Columns(13.95lvl) @ (gird : c-h/1-11) laid on 25-10-
2021. We request you to please test the samples for 7 days and 28 days and send us the test
reports.

Yours Sincerely,

V.B. Chaitanya 25/10/21
Asst. EXECUTIVE ENGINEER,
APSPHC LTD:: VIJAYAWADA

Pg, 2,478/-
Received on 30-11-21
30/11/21



Date: 08-01-2022

TEST REPORT BY CIVIL ENGINEERING DEPARTMENT

Test conducted at : Structures Laboratory
Test Conducted for : M/s Serenity Developers, Vijayawada.
Reference : LT.No.Nill Dt: 08-01-2022
Description : Construction of 4 BHK & 3 BHK apartments at moghalrajapuram,
Vijayawada

TEST RESULTS

Grade of Concrete : M25 design mix cement concrete
Size of Cube : 150mmx150mmx150mm cubes

The cube supplied by the representative is tested and results are furnished as below:

S. No	Identification	Date of Casting	Date of Testing	Compressive strength (N/mm ²)	Average strength (N/mm ²)
1	Block C Fifth Floor Slab	26-11-2021	08-01-2022	31.11	32.44
2		26-11-2021	08-01-2022	35.11	
3		26-11-2021	08-01-2022	31.11	
4	Block C Fifth Floor Slab	26-11-2021	08-01-2022	31.55	31.99
5		26-11-2021	08-01-2022	32.88	
6		26-11-2021	08-01-2022	31.55	

RS 3607

DEAN



(1)

Feb. 2022

Elizur, Matthew
(P) 2/2/22

Date: 01-02-2022

TEST REPORT BY DEPARTMENT OF CIVIL ENGINEERING

Test Conducted at : Structures Laboratory
Test Conducted for : Assistant Executive Engineer, A.P.S Police Housing
Corp'n.Ltd, Vijayawada.
Reference : Lr. No: AEE/PHC/VJA/POLLUTION CONTROL
BOARD/VJA/20-21 Dated- 01-02-2022.
Description : Construction of Zonal Office Building with Laboratory
facility for A.P Pollution Control Board at Vijayawada.

TEST RESULTS

Grade of Concrete : M25
Size of Cube & identification : 150mmx150mmx150mm cubes at Fourth Floor Columns

The cubes supplied by the representative are tested and results are furnished as below:

Identifi- cation	Date of Casting	Date of Testing	Age No of Days	Compressive strength (N/mm ²)	Average (N/mm ²)
1.	04-01-2022	01-02-2022	28 Days	32.65	32.94
2.	04-01-2022	01-02-2022		33.12	
3.	04-01-2022	01-02-2022		33.05	

DEAN

Rs. 1593/-
Paid on 11 Feb 2022
Received Rs. 1593/-
16/2/22



NIRMALA HIGH SCHOOL

VIJAYAWADA - 520 010, KRISHNA DIST., ANDHRA PRADESH, INDIA

☎ : 0866 - 2472209

March 2022

Date: 02-03-2022

TO WHOM SOEVER CONCERN

Subject: Request letter for water testing- Regarding

Respected Sir,

I am writing this letter to you on behalf of my school in order to request you to kindly conduct a water quality survey in our school i.e. Nirmala High School as per your convenience Water is used for the construction purpose Therefore, I request you to kindly conduct a water quality survey, so that we can use water without any doubt.

Kindly consider doing this at the earliest.

Thanking you,

Dr. Leena
Correspondent
2/3/2022

Nirmala High School
VIJAYAWADA - 520 010
Krishna District, A P

*Two water samples - 2x1000/-
G.S.I - 360/-
Rs 2,360/-*

Received amount

Rs. 2,360/-

E. G. W.
31/3/2022

Received amount

of Rs. 1,180/-

E. G. W.
01/2/22



T. KRISHNA MOHAN RAO B Tech
Dy ZONAL MANAGER (E)

Andhra Pradesh Industrial
Infrastructure Corporation Ltd
(A Govt of Andhra Pradesh undertaking)
Zonal Office, Industrial Park,
VIJAYAWADA-520 007
Tel # +91865-2552647

Lr.No,DZM(f)/VJA/APIIC/Road/Ph-II/V,P,Gudem/2021-22

DT: 26 03 2022

To
The Principal,
SRK Engineering College,
Enikepadu,
Vijayawada.

Sir,

Sub: Zonal Office, Vijayawada - Formation of internal roads with WMM, BM & SDBC including CD works and providing Earthen storm water drains in Ph-II Industrial park, Veerapanenigudem, Krishna District - Design of the Crust thickness and CBR value of Soil - Requested - Regarding - Regarding.

It is to inform that the above subject work was proposed to be executed at Industrial Park, Phase-II, Veerapanenigudem, Krishna District

It is further submit that the above estimate is prepared with 450mm Gravel, 150mm Granular sub base, 200mm thick WMM, 50mm BM and 25mm SDBC for 7.00 M carriage way and 450mm Gravel, 150mm Granular sub base, 150 mm thick WMM, 50mm BM and 25mm SDBC for 5.50 M & 4.00 M carriage.

I am herewith submitting the undisturbed soil samples collected from proposed site for conducting CBR test and for design of road crust and also requested to conduct suitability of crust thickness.

The payment will be made on hearing from you.

*Materials Request
Rs 6000/-*

Yours faithfully,
[Signature]
26/03/22
Dy. Zonal Manager (E.)

8686 966066

Received Rs. 6,000/-

*E. Gur
B. 4. 22*



May-2022

Date: 18/04/2022

TEST REPORT BY DEPARTMENT OF CIVIL ENGINEERING

Test Conducted at : Structures Laboratory
Test Conducted for : The Correspondent, Nirmala High School,
Vijayawada.
Reference : Lr.No: Nil dated 18.04.2022
Description : Construction of New Campus in Nirmala School.

TEST RESULTS

Grade of Concrete : M20
Size of Cube & identification : 150mmx150mmx150mm cubes at Piles

The cubes supplied by the representative are tested and results are furnished as below:

Identifi- cation	Date of Casting	Date of Testing	Compressive strength (N/mm ²)	Average Compressive strength (N/mm ²)
1.	03-04-2022	18-04-2022	27.86	29.52
2.	03-04-2022	18-04-2022	31.25	
3	03-04-2022	18-04-2022	29.46	

Rs 7080/-
Received on 27-4-22
Received Amount Rs 7080/-
27/4/22

DEAN